


Catalogue Number	Product	Order number / Unit
6040	(S)-(+)-Desmethyl-Rolipram Precursor for S-(+)-[¹¹ C]Rolipram Molar Mass: 261.32 C ₁₅ H ₁₉ NO ₃ [347148-60-1] Colourless solid packaged in dark glass screw cap vials. Purity: > 95 % Certificates: CoA; ¹ H NMR spectrum Chemical Name: CA index name: 2-Pyrrolidinone, 4-[3-(cyclopentyloxy)-4-hydroxyphenyl]-, (4S)- Synonymes: S-Desmethyl-Rolipram; (+)-Desmethyl-Rolipram Literature: <ol style="list-style-type: none">1. Kenk M. et al. In vivo selective binding of (R)-[¹¹C]rolipram to phosphodiesterase-4 provides the basis for studying intracellular cAMP signaling in the myocardium and other peripheral tissues. <i>Nucl. Med. Biol.</i> 2007, 34, 71-77.2. Parker C.A. et al. Behaviour of [¹¹C]R(-)- and [¹¹C]S(+)-rolipram in vitro and in vivo, and their use as PET radiotracers for the quantitative assay of PDE4. <i>Synapse</i> 2005, 55, 270-279.3. Lourenco C.M. et al. Characterization of R-[¹¹C]rolipram for PET imaging of phosphodiesterase-4: in vivo binding, metabolism, and dosimetry studies in rats. <i>Nucl. Med. Biol.</i> 2001, 28, 347-358.4. Tsukada H. et al. Facilitation of dopaminergic neural transmission does not affect [¹¹C]SCH23390 binding to the striatal D1 dopamine receptors, but the facilitation enhances phosphodiesterase type-IV activity through D1 receptors: PET studies in the conscious monkey brain. <i>Synapse</i> 2001, 42, 258-265.	6040.0010: 10 mg per vial Please inquire for customized filling and bulk quantities. 

date of product catalogue issue: 05 April 2012